


RTXM191-xxx (DDM)



RTXM191-xxx (DDM)

Ordering Information

Part. No	Specifications									Application
	Pack	Rate	Tx	Pout	Rx	S	Top	Reach	others	
RTXM191-550	SFP	1.25G	850nm VCSEL	-9.5 ~ -3dBm	PIN	< -18dBm	-10~70°C	550m	DDM, Note1	1000Base-SX
RTXM191-400	SFP	1.25G	1310nm FP	-9 ~ -3dBm	PIN	< -20dBm	-10~70°C	15km	DDM, Note1	1000Base-LX
RTXM191-402	SFP	1.25G	1310nm FP	-5 ~ 0dBm	PIN	< -23dBm	-10~70°C	30km	DDM, Note1	1000Base-LH
RTXM191-450	SFP	1.25G	1310nm DFB	-2 ~ +3dBm	PIN	< -23dBm	-10~70°C	40km	DDM, Note1	1000Base-LH1
RTXM191-500	SFP	1.25G	1550nm DFB	-4 ~ +1dBm	PIN	< -20dBm	-10~70°C	40km	DDM, Note1	1000Base-LH2
RTXM191-502	SFP	1.25G	1550nm DFB	-2 ~ +3dBm	PIN	< -23dBm	-10~70°C	80km	DDM, Note1	1000Base-ZX
RTXM191-504	SFP	1.25G	1550nm DFB	0 ~ +3dBm	APD	< -31dBm	-10~70°	12		



RTXM191-855

RTXM191-xxx (DDM)